## **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: (11) International Publication Number: WO 94/02332 A1 B42F 21/12, B26D 3/14 (43) International Publication Date: 3 February 1994 (03.02.94)

SE

(21) International Application Number: PCT/SE93/00559

20 July 1992 (20.07.92)

(22) International Filing Date: 23 June 1993 (23.06.93)

(30) Priority data: 9202206-0


(71)(72) Applicant and Inventor: LUNDBERG, Jan [SE/SE]; Trastgatan 10, S-942 21 Piteå (SE).

(74) Agents: ONN, Thorsten et al.; AB Stockholms Patentbyrå, Zacco & Bruhn, Box 23101, S-104 35 Stockholm (SE).

(81) Designated States: JP, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, **Published** 

With international search report. In English translation (filed in Swedish).

(54) Title: AN AUTOMATIC REGISTER CUTTING METHOD AND AN AUTOMATIC REGISTER CUTTER FOR CAR-RYING OUT THE METHOD



(57) Abstract

The present invention relates to a method of automatically cutting indexes and an automatic index cutting machine (10) for carrying out the method. The inventive index cutting machine (10) is constructed of (n) number of modules (12:1-12:n), where each module includes a counting arrangement which functions to count a predetermined number of pages automatically for a specific index indentation, and a knife arrangement for cutting this predetermined number of pages. The book is transported between the modules (12:1-12:n) hanging from a transporting arrangement which includes a transporter (20) which holds the book hanging from its spine. Each module (12:1-12:n) counts up to an index indentation and the index indentation is then cut in the knife arrangement, whereafter the book is transported to the next module in which a count is made to the next index indentation and the index indentation is cut, this procedure being repeated module after module.

## . FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
ΑU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NE	Niger
BE	Belgium	CN	Guinea	NL.	Netherlands
BF	Burkina Faso	GR	Greece	NO	Norway
BG	Bulgaria	HU	Hungary	NZ	New Zealand
BJ	Benin	1E	Ireland	PL	Poland
BR	Brazil	IT	Italy	PT	Portugal
BY	Belarus	JP	Japan	RO	Romania
CA	Canada	KP	Democratic People's Republic	RU	Russian Federation
CF	Central African Republic		of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovak Republic
СМ	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
cs	Czechoslovakia	ĹŸ	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	ÜÄ	Ukraine
DE	Germany	MG	Madagascar	US	United States of America
DK	Denmark	ML	Mali .	ŰŽ	Uzbekistan
ES	Spain	MN	Mongolia	VN	Vict Nam
Pī	Fioland		- 0	***	

1

# AN AUTOMATIC REGISTER CUTTING METHOD AND AN AUTOMATIC REGISTER CUTTER FOR CARRYING OUT THE METHOD

The present invention relates to a method of automatically cutting book indexing indentations and an automatic index cutting machine for carrying out the method.

5

10

15

20

25

30

35

Present-day machines which cut indexing indentations or index tabs in pages that are larger than A5 are semiautomatic. A greater part of the work with these index cutting machines is effected manually. The number of pages that shall lie beneath a given index indentation or index tab are turned over by hand and then inserted manually beneath the reference. The work that is carried out automatically in such semiautomatic index cutting machines is the work of cutting an index indentation and re-adjustment to the next following index indentation. These procedures are carried on a book that lies flat on a supportive surface. The drawbacks with such semi-automatic index cutting machines is that they require a work force to carry out the manual procedures and that production is relatively low. These drawbacks are eliminated by the inventive automatic index cutting machine and automatic index cutting method having the characteristic features set forth in the characterizing clause of Claim 1 and Claim 7 respectively. The inventive index cutting machine is constructed of modules, where each module includes a counter which automatically counts a predetermined number of pages for a specific index indentation, and knife means for cutting said predetermined number of pages. The book is transported between the modules while hanging from a transportation device. In each module, a count is made up to the page on which an index or reference indentation is to be made and the page is then cut in the knife arrangement, whereafter the book is transported to the next module where a count is made to the intended

place of the next index indentation and this page is cut, this procedure being repeated in module after module.

2

- The present invention will now be described in more detail with reference to an exemplifying embodiment thereof and also with reference to the accompanying drawings, in which
- 10 Figure 1 is a schematic elevation of one embodiment of the inventive automatic index cutting machine;

15

20

25

30

35

Figure 2 is a sectional view of part of the inventive automatic index cutting machine shown in Figure 1; and

Figure 3 is a perspective view of a counter included in the inventive automatic index cutting machine.

The exemplifying embodiment of the inventive automatic index cutting machine or index cutting machine 10 illustrated in Figures 1 and 2 includes a number (n) of modules 12:1-12:n, where each module 12:1-12:n includes a counter (see Figure 3) and a knife arrangement 28. The index cutting machine 10 also includes a book storage means 14 for books 26 and an infeed means 16 which functions to feed one book 26 at a time from the storage means 14 to a transporter 20 which forms part of a transportation arrangement 40 and firmly holds the book 26 by its spine. The cutter 10 also includes an outfeed means 18 which discharges the processed books from the indexing machine, i.e. books in which all index indentations or index tabs have been cut. The illustrated embodiment of the indexing machine 10 also includes a transporter switch 22 which changes the direction of movement of the transporter 20, and a return table 24 which returns the transporter 20 to the beginning of the indexing machine 10.

5

10

15

20

25

30

35

As shown in Figure 2, each knife arrangement 28 includes a knife means 30, which moves linearly and which may consist of a knife blade. Although not shown, the knife is moved by means of a pneumatic piston-cylinder device which translates said movement to the knife means 30 via a link system (not shown). The knife arrangement 28 also includes a spring-biassed anvil (a clamping strip not shown) which holds the index indentation firmly at the cutting moment. It will be noted that the knife means 30 cuts in both directions of its linear movement.

3

Figure 3 is a perspective view of a counter 32 included in the inventive automatic index cutting machine 10. The counter 32 includes a tonque-like element 34 which oscillates backwards and forwards when activated, and a pin 38 which rotates when activated. When a book 26 is transported to a counter 32, the book 26 lies against the tonque-like element 34 and a page is sucked firmly against the element by the action of a subpressure which communicates through a small hole 36 in the tongue-like element 34. When a start signal is delivered by a control unit (not shown), both the tongue-like element 34 and the pin 38 are activated mechanically by levers from one and the same motor. When the tongue-like element 34 oscillates, the leaf or page firmly held to the element by suction is curved away from the remaining pages such as to create between the pages a space into which the pin 38 can enter. The pin 38 then carries the page adhering to the element 34 to the rear side of said element and a new page is sucked firmly onto said element 34. The vacuum system also includes a valve (not shown) which is opened and closed in dependence on the vacuum that prevails. The valve detects when a page has been sucked firmly onto the tongue-like element 34 and can thus confirm that a page has been counted. The aforesaid control unit controls the number of pages that each counter 32 is to count, i.e. the number of pages

4

that shall be included in each index indentation. The predetermined number of pages for each individual index indentation are fed into the control unit by means of an infeed device (not shown).

5

10

15

20

25

The inventive automatic index cutting machine 10 operates in the following manner: Books are fed singly from the storage device 14 to the transporter 20 by means of the infeed device 16. The transporter 20 holds the book by its spine. The book hangs from the transporter 20 and is carried thereby to the first module 12:1, where the bottom cover is folded down beneath a guide by means of a suction feed. The book is then transported to the counter arrangement 32 in the first module 12:1, where a number of pages are counted in accordance with a preset program. The pages are then folded down beneath a guide and the book is transported to the knife arrangement 28, where the index indentations are cut and folded beneath the quide. The book is then transported to the next module 12:2 where a count is made up to the next index indentation and a cut is made, this procedure being repeated module for module. The books are transported in a continuous sequence, since all counter arrangements 32 and knife arrangements operate simultaneously on one book. A machine intended to cut thirty index indentations will include thirty modules. The first index indentation 1 is made in the first module 1 and the thirtieth index indentation is made in module 30. It is also possible to produce a book containing thirty index indentations in a machine that consists solely of fifteen modules, although this will halve the production rate since it is necessary to pass the book through the machine twice.

35

30

It will be understood that the aforedescribed exemplifying embodiment of the invention is merely an example of how the invention can be realized and in no way limits the invention, the scope of which is defined in the following Claims.

WO 94/02332

35

#### Claims

- 1. An automatic book index cutting machine (10), c h a r a c t e r i z e d in that the index cutting machine includes a plurality (n) of modules (12:12:n) which each includes a counter arrangement (32) which functions to count a predetermined number of pages for a specific index indentation, and a knife arrangement (28) for cutting said predetermined number of pages for said specific index indentation; and in that the index cutting machine (10) also includes a book transporting arrangement (40).
- 2. An automatic index cutting machine (10) according to Claim 1, c h a r a c t e r i z e d in that the transporting arrangement (4) includes a plurality of transporters (20) which are constructed to hold and transport the books (26) by their respective spines.
- 3. An automatic index cutting machine (10) according to Claim 2, c h a r a c t e r i z e d in that the machine also includes a book storage device (14), a book infeed device (16) which functions to feed a book from the storage device (14) to one of said transporters (20), and a book outfeed device (18) which functions to feed indexed books (26) from the machine.
- 4. An automatic index cutting machine (10) according to Claim 3, c h a r a c t e r i z e d in that the machine also includes control means for controlling the counters (32), such that each counter (32) will count a predetermined number of pages for a specific index indentation through the agency of a programming unit connected to said control means.
  - 5. An automatic index cutting machine (10) according to Claim 4, characterized in that each counter (32) includes an oscillatable tongue-like element (34) which is provided with a hole (36) and

which is oscillated by a motor through the medium of said control means, and a pin (38) which is rotated through the medium of said control means and said motor, wherein a page of the book (26) is sucked firmly against the tongue-like element (34) by subpressure acting through the hole (36) in said element, and wherein the two movements coact mutually in a manner to separate the counted pages from uncounted pages by means of the tongue-like element (34).

10

15

30

5


- 6. An automatic index counter (10) according to Claim 5, c h a r a c t e r i z e d in that each knife arrangement (28) includes a spring-biassed anvil means which holds firmly those pages to be cut, and a linearly movable knife means (30) which is driven by a pneumatic piston-cylinder device included in said knife arrangement (28), via a link system.
- 7. A method for automatically index cutting books
  with the aid of an index cutting machine (10) which
  includes a plurality (n) of modules (12:1-12:n), each
  including a counting arrangement (32) for counting a
  predetermined number of pages for a specific index
  indentation, and a knife arrangement (28) for cutting
  said predetermined number of pages for said specific
  index indentation, said method being
  c h a r a c t e r i z e d by the steps of
  a) feeding a book (27) by means of an infeed device
  (16) to a transporter (20) included in the index
  - (16) to a transporter (20) included in the index cutting machine (10) and holding the book (26) firmly by its spine;
  - b) folding a cover side by suction beneath a tonguelike element (34) included in the counting arrangement (32);
- 35 c) transporting the book (26) suspended by the transporter (20) to the first module (12:1);
  - d) counting with the aid of said counting arrangement(32) a predetermined number of pages corresponding to


the first index indentation which is folded down beneath the tongue-like element (34);


- e) transporting the book to the knife arrangement (28) in the module (12:1) for cutting of the first index indentation; and
- f) transporting the book (26) to the next module (12:2-12:n) and repeating steps d) and e) for a total of n number of times.

10

5







## INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 93/00559

	1.01/02 30/0003									
A. CLASSIFICATION OF SUBJECT MATTER										
IPC5: B42F 21/12, B26D 3/14 According to International Patent Classification (IPC) or to both r	national classification and IPC									
B. FIELDS SEARCHED										
Minimum documentation searched (classification system followed by classification symbols)										
IPC5: B42F, B42C, B42D, B65H, B26D										
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched SE,DK,FI,NO classes as above										
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)										
,										
C. DOCUMENTS CONSIDERED TO BE RELEVANT										
Category* Citation of document, with indication, where ap	propriate, of the relevant passages Relevant to claim No.									
US, A, 2763324 (C.L. LOVERCH ET (18.09.56), column 5, line	AL), 18 Sept 1956 11 - line 74									
US, A, 2489825 (H. SIEB), 29 No. (29.11.49), column 7, line	vember 1949 1-6 15 - column 8, line 31									
	·									
·										
	·									
Fort day of the state of the st										
Further documents are listed in the continuation of Bo	x C. χ See patent family annex.									
<ul> <li>Special categories of cited documents:</li> <li>"A" document defining the general state of the art which is not considered</li> </ul>	T later document published after the international filing date or priority date and not in conflict with the application but cited to understand									
to be of particular relevance "E" ertier document but published on or after the international filing date	the principle or theory underlying the invention  "X" document of particular relevance: the claimed invention cannot be									
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	considered novel or cannot be considered to involve an inventive step when the document is taken alone									
special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is									
means "P" document published prior to the international filing date but later than the priority date claimed	_									
Date of the actual completion of the international search	"&" document member of the same patent family  Date of mailing of the international search report									
•	•									
22 October 1993	26 -10- 1993									
Name and mailing address of the ISA/	Authorized officer									
Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Hans Hagström										
Facsimile No. +46 8 666 02 86	Hans Hagström Telephone No. +46 8 782 25 00									

### INTERNATIONAL SEARCH REPORT

Information on patent family members

Form PCT/ISA/210 (patent family annex) (July 1992)

International application No. 01/10/93 | PCT/SE 93/00559

	Datant	d		01/10/33	<u></u>	93/00339	
	cited in se	document earch report	Publication date	Patent family member(s)		Publication date	
1	US-A-	2763324	18/09/56	NONE			
	US-A-	2489825	29/11/49	NONE	، ههه چه هن ست شت الله ه	7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	ĺ
_							
							1
							i
							Ì
	••		•				İ
	•						
						•	
	•						
		,	•				
		•					
							1
							- 1